

AD 550

Doosan
Mecc Alte
D+ &



ISO8528	GC ;) &
SZUTEST	GC - \$\$\$
CE	

2000/14/EC & \$\$\$#(#
z) \$ z'z' D:

	"	"	"	"	Amp
400/230	550,00	440,00	500,00	400,00	721,00

Standard Specifications

ALTERNATOR

TRANSFER SWITCH

AD 550

Doosan
Mecc Alte
D+' &'

Manufacturer		Doosan		
Model		P180LE		
		%\$\$' "# "		
		(- *' "		
		Ø*) < DQ		
	L	18,30		
	"	128 x 142		
		15,0:1		
	fl # ı	"# "	1500	
	fl ı	L	35,00	
		L	94,00	
AbsorbedAirDischargeReSourceKey.Text	' # "	31,60		
	' # "	565		
fl ' # ı	' # "	98,00		
	° C	580		
		24 V d.c.		
	Load	%\$\$ı	'+)ı)\$ı
	# "	111,60	81,30	54,80

		Mecc Alte		
		ECO 40-3S/4		
	Hz	50		
	"	500		
7cg'		0,80		
		3		
	fl ı	400/230		
	A	721		
Temperatur		H		

		fl ı		fl ı	
	"	"	"	"	L
AD 550	3550	3360	1400	2040	800
		fl ı		fl ı	
	"	"	"	"	L
AK 81	4945	4900	1600	2500	850

AD 550

Doosan
Mecc Alte
D+ &''

5? , %!



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

f! \$\$\$! '%&\$\$' Ł

'&\$\$\$#/(# "

	"	1600
f! "Ł	"	4900
f! "Ł	"	2500
		850